






**GENERAL NOTES:**

1. ALL DIMENSION ARE IN MILIMETER.
2. DESIGN STANDART EN40.
3. DESIGN WILD SPEED 130 km/h.
4. ALL CAST ALUM. ALLOY SHALL B 380,1 (Etial-160).
5. ALL FASTENERS SHALL BE STAINLESS STEEL GR. 316 EQUIVALENT UNLEDD OTHER SPECIFIED.
6. ALL WELDING SHALL BE DORE IN ACCORDANCE WIHT THE ANSI /BS EN ISO 9692-1-EQV-ALUMINUM .
7. ALL WELDING SHALL BE DORE IN ACCORDANCE WIHT THE ANSI /BS EN ISO 9692-1-EQV-STEEL.
8. SUPER DURABLE POWDER COATUNG BS.6496-1984 THICKNESS 100 MICRON (AVERAGE) BS EN 12206-1:2000.
9. STEEL REINFORCEMENT CORE-HOT DIP GALVANIZED.
10. PIPE : BS EN 10219-1 -EQV
11. ANCHOR BOLT & BASE PLATE: ASTM A572M GR. 345 OR EQUI.
12. FINISHING: PAINTED / COATED (RAL # TO BE PROVIDED BY THE CUSTOMER)



SECTION C-C  
SCALE 1 : 8

<b>Proje</b> Project	<b>Tarih</b> Date	<b>Adı Soyadı</b> Name Surname	<b>İmza</b> Sign	<b>Malzeme</b> Material	<b>OptoLed</b> Saving Energy							
<b>Çizen / Desinger</b>	27.10.2023	YUSUF SALİH										
<b>Kontrol /Controller</b>												
<b>Parça Adı</b> Part Name	<b>RUTA FIXTURE</b>				<b>Klasör</b> Binder							
<b>Ölçek</b> Scale	<b>Vida Anma Çapları Genel Tablosu</b> The General Table For Screw Nominal Diameter				<b>Dosya Adı</b> File Name							
	<b>Belirtilmeyen toleranslar</b> Unspecified Tolerance				<b>Resim No</b> Picture No							
	<b>Anma Çapı</b> Nominal Diameter	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	<b>Aralık</b> Inreval	0.5 ≤ 6	6 ≤ 30	30 ≤ 120	<b>Revizyon No</b> Revision No
1/1 A3	<b>Dişi - Internal</b>	19.2 <sup>0</sup> <sub>-0.2</sub>	24.7 <sup>0</sup> <sub>-0.2</sub>	31 <sup>0</sup> <sub>-0.2</sub>	39.6 <sup>0</sup> <sub>-0.2</sub>	45.5 <sup>0</sup> <sub>-0.2</sub>	57.3 <sup>0</sup> <sub>-0.2</sub>	<b>Hassas-Precision</b>	±0.05	±0.1	±0.15	
	<b>Erkek -External</b>	20.7 <sup>+0.1</sup> <sub>0</sub>	26.2 <sup>+0.1</sup> <sub>0</sub>	32.9 <sup>+0.1</sup> <sub>0</sub>	41.6 <sup>+0.1</sup> <sub>0</sub>	47.5 <sup>+0.1</sup> <sub>0</sub>	59.3 <sup>+0.1</sup> <sub>0</sub>	<b>Orta- Moderate</b>	±0.1	±0.2	±0.3	